





Piñones de módulo recto, cremalleras y juegos cónicos



Dentatura diritta	Straight toothing	Gerade Verzahnung	Denture droite	Dentado derecho
Angolo pressione 20°	Angle of pressure 20°	Eingriffswinkel 20°	Angle de pression 20°	Ángulo de presión 20°
Materiale C45E UNI EN 10083-1	Material C45E UNI EN 10083-1	Werkstoff C45E UNI EN 10083-1	Matière C45E UNI EN 10083-1	Material C45E UNI EN 10083-1

Mod.	hp	he x S	L							
			500		1000		2000		3000	
			Cod.	Kg	Cod.	Kg	Cod.	Kg	Cod.	Kg
1	14,0	15 x 15		0,820		1,500	87100	3,100	87100A	4,900
1,5	15,5	17 x 17		1,000		2,000	87150	4,000	87150A	6,100
2	18,0	20 x 20		1,400		2,700	87200	5,400	87200A	8,400
2,5	22,5	25 x 25		2,100		4,300	87250	8,600	87250A	11,900
3	27,0	30 x 30		3,100		6,300	87300	12,500	87300A	18,600
4	18	22 x 22		1,400		3,250		6,800		
4	21,0	25 x 25		1,800		3,650	87405	7,300		10,900
4	26,0	30 x 30		3,050		6,000	87404	11,900		18,100
4	36,0	40 x 40		5,500		11,100	87400	22,000	87400A	31,300
5	45,0	50 x 50		8,300		17,500	87500	34,600	87500A	45,300
6	54	60 x 60		12,650		25,000	87600	51,000	87600A	
8	72,0	80 x 80		22,400		45,000	87800	90,000		



Dati tecnici	Technical specifications	Technische Daten	Donnees techniques	Datos tecnicos
--------------	--------------------------	------------------	--------------------	----------------

Mod.	Passo / Pitch Teilung / Pas Paso	S	L							
			500		1000		2000		3000	
			Z	Lr	Z	Lr	Z	Lr	Z	Lr
1	3,1416	0,5	159	499,51	319	1002,17	637	2001,20	955	3000,23
1,5	4,7124	0,6	106	499,51	213	1003,74	425	2002,77	637	3001,80
2	6,2832	0,6	80	502,66	160	1005,31	319	2004,34	478	3003,37
2,5	7,8540	0,7	64	502,66	128	1005,31	255	2002,77	382	3000,23
3	9,4248	0,8	53	499,51	107	1008,45	213	2007,48	319	3006,51
4	12,5664	0,8	40	502,66	80	1005,31	160	2010,62	239	3003,37
5	15,7080	1,0	32	502,66	64	1005,31	128	2010,62	191	3000,23
6	18,8496	1,0	27	508,94	54	1017,88	107	2016,91		
8	25,1328	1,0	20	502,66	40	1005,31	80	2010,62		