




Tipo / Type
6




Tipo / Type
6F




Tipo / Type
6WF




Tipo / Type
6AF




Tipo / Type
6A



Tipo / Type
10WF



Tipo / Type
10W



Tipo / Type
10A







L 050 - 3/8" (9,525 mm)

| Caratteristiche Features Merkmale Características | Codice Code symbol Bezeichnung Code symbole Numero de fabrica | Cod. | Tipo Type Typ Type Tipo | Codice flangia Flange code Bordscheiben Typ Code flasque Código brida | N. denti N. of teeth Zähnezahl N. bre de dents Cantidad de dientes | Dp | De | Df | Dm | Di | F | L | Foro stock Stock bore Vor bohrung Alesage en stock Agujero de stock | Peso Weight / Gewicht Poids / Peso Kg | | |
|------------------------------------------------------------|------------------------------------------------------------------------------|--------------------------------------------------------|-------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|--------------------------------------------------------------------------------|--------|--------|--------|--------|-----|------|-----|---------------------------------------------------------------------------------|------------------------------------------------|----|------|
| Acciaio / Steel / Stahl Acier / Acero | con flangia / with flanges mit Bordscheiben / avec flasques / con tapetas | 10L050 | 6F | FL050 | 10 | 30,32 | 29,56 | 37,0 | 20 | - | 19,0 | 28 | 8 | 0,11 | | |
| | | 11L050 | 6F | FL050 | 11 | 33,35 | 32,59 | 37,0 | 22 | - | 19,0 | 30 | 8 | 0,14 | | |
| | | 12L050 | 6F | FL052 | 12 | 36,38 | 35,62 | 43,0 | 24 | - | 19,0 | 30 | 8 | 0,17 | | |
| | | 13L050 | 6F | FL083 | 13 | 39,41 | 38,65 | 44,0 | 28 | - | 19,0 | 30 | 8 | 0,18 | | |
| | | 14L050 | 6F | FL054 | 14 | 42,45 | 41,68 | 48,0 | 28 | - | 19,0 | 30 | 8 | 0,22 | | |
| | | 15L050 | 6F | FL055 | 15 | 45,48 | 44,72 | 51,0 | 34 | - | 19,0 | 30 | 8 | 0,28 | | |
| | | 16L050 | 6F | FL056 | 16 | 48,51 | 47,75 | 54,0 | 36 | - | 19,0 | 32 | 8 | 0,35 | | |
| | | 17L050 | 6F | FL057 | 17 | 51,54 | 50,78 | 57,0 | 36 | - | 19,0 | 32 | 10 | 0,36 | | |
| | | 18L050 | 6F | FL058 | 18 | 54,57 | 53,81 | 60,0 | 40 | - | 19,0 | 32 | 10 | 0,42 | | |
| | | 19L050 | 6F | FL059 | 19 | 57,61 | 56,84 | 64,0 | 40 | - | 19,0 | 32 | 10 | 0,45 | | |
| | | 20L050 | 6F | FL060 | 20 | 60,64 | 59,88 | 66,5 | 40 | - | 19,0 | 32 | 10 | 0,48 | | |
| | | 21L050 | 6F | FL061 | 21 | 63,67 | 62,91 | 70,0 | 45 | - | 19,0 | 32 | 10 | 0,57 | | |
| | | 22L050 | 6F | FL062 | 22 | 66,70 | 65,94 | 75,0 | 45 | - | 19,0 | 32 | 10 | 0,59 | | |
| | | 23L050 | 6F | FL063 | 23 | 69,73 | 68,97 | 79,0 | 55 | - | 19,0 | 32 | 10 | 0,61 | | |
| | | 24L050 | 6F | FL063 | 24 | 72,77 | 72,00 | 79,0 | 55 | - | 19,0 | 32 | 10 | 0,80 | | |
| | | 25L050 | 6F | FL064 | 25 | 75,80 | 75,04 | 82,5 | 58 | - | 19,0 | 32 | 10 | 0,85 | | |
| | | 26L050 | 6F | FL065 | 26 | 78,83 | 78,07 | 86,0 | 58 | - | 19,0 | 32 | 11 | 0,90 | | |
| | | 27L050 | 6F | FL065 | 27 | 81,86 | 81,10 | 86,0 | 58 | - | 19,0 | 32 | 11 | 0,91 | | |
| | | 28L050 | 6F | FL066 | 28 | 84,89 | 84,13 | 91,0 | 58 | - | 19,0 | 32 | 11 | 0,95 | | |
| | | 29L050 | 6F | FL067 | 29 | 87,93 | 87,16 | 94,0 | 58 | - | 19,0 | 32 | 11 | 1,00 | | |
| | | 30L050 | 6F | FL068 | 30 | 90,96 | 90,20 | 97,0 | 70 | - | 19,0 | 32 | 11 | 1,07 | | |
| | | 32L050 | 6F | FL070 | 32 | 97,02 | 96,26 | 102,0 | 70 | - | 19,0 | 32 | 11 | 1,23 | | |
| | | 33L050 | 6F | FL071 | 33 | 100,05 | 99,29 | 106,0 | 70 | - | 19,0 | 32 | 11 | 1,30 | | |
| | | 34L050 | 6F | FL072 | 34 | 103,08 | 102,32 | 112,0 | 70 | - | 19,0 | 32 | 11 | 1,37 | | |
| | | 35L050 | 6F | FL072 | 35 | 106,12 | 105,35 | 112,0 | 70 | - | 19,0 | 32 | 11 | 1,44 | | |
| | | 36L050 | 6F | FL074 | 36 | 109,15 | 108,39 | 115,0 | 70 | - | 19,0 | 32 | 11 | 1,50 | | |
| | | 40L050 | 6WF | FL078 | 40 | 121,28 | 120,51 | 128,0 | 70 | 100 | 19,0 | 32 | 11 | 1,77 | | |
| | | 41L050 | 6WF | FL080 | 41 | 124,31 | 123,55 | 135,0 | 70 | 103 | 19,0 | 32 | 11 | 1,84 | | |
| | | 42L050 | 6WF | FL080 | 42 | 127,34 | 126,58 | 135,0 | 70 | 106 | 19,0 | 32 | 11 | 1,97 | | |
| | | 44L050 | 6WF | FL081 | 44 | 133,40 | 132,64 | 142,0 | 70 | 112 | 19,0 | 32 | 11 | 2,20 | | |
| | | 45L050 | 6WF | FL081 | 45 | 136,44 | 135,67 | 150,0 | 70 | 115 | 19,0 | 32 | 11 | 2,27 | | |
| | | 47L050 | 6WF | FL085 | 47 | 142,50 | 141,74 | 150,0 | 70 | 121 | 19,0 | 32 | 11 | 2,45 | | |
| | | 48L050 | 6WF | FL085 | 48 | 145,53 | 144,77 | 150,0 | 70 | 124 | 19,0 | 32 | 11 | 2,67 | | |
| | | Ghisa / Cast iron / Grauguss Fonte / Hierro fundido | senza flangia / without flanges ohne Bordscheiben / sans flasques sin tapetas | 49L050 | 6W | FL050 | 49 | 148,56 | 147,80 | - | 70 | 127 | 19,0 | 32 | 14 | 1,80 |
| | | | | 50L050 | 6W | FL050 | 50 | 151,60 | 150,83 | - | 70 | 130 | 19,0 | 32 | 14 | 1,90 |
| | | | | 52L050 | 6W | FL052 | 52 | 157,66 | 156,90 | - | 70 | 136 | 19,0 | 32 | 14 | 2,10 |
| | | | | 56L050 | 6W | FL056 | 56 | 169,79 | 169,02 | - | 70 | 149 | 19,0 | 32 | 14 | 2,18 |
| | | | | 57L050 | 6W | FL057 | 57 | 172,82 | 172,06 | - | 70 | 152 | 19,0 | 32 | 14 | 2,47 |
| | | | | 60L050 | 6W | FL058 | 60 | 181,91 | 181,15 | - | 75 | 160 | 19,0 | 42 | 14 | 3,10 |
| | | | | 65L050 | 6A | FL059 | 65 | 197,07 | 196,31 | - | 75 | 176 | 19,0 | 42 | 14 | 3,20 |
| | | | | 66L050 | 6A | FL059 | 66 | 200,11 | 199,34 | - | 75 | 179 | 19,0 | 42 | 14 | 3,23 |
| | | | | 72L050 | 6A | FL072 | 72 | 218,30 | 217,53 | - | 75 | 197 | 19,0 | 42 | 14 | 4,86 |
| | | | | 84L050 | 6A | FL084 | 84 | 254,68 | 253,92 | - | 75 | 233 | 19,0 | 42 | 14 | 5,00 |
| | | | | 90L050 | 6A | FL090 | 90 | 272,87 | 272,11 | - | 75 | 252 | 19,0 | 42 | 14 | 5,50 |
| | | | | 96L050 | 6A | FL096 | 96 | 291,06 | 290,30 | - | 75 | 269 | 19,0 | 42 | 14 | 6,00 |
| | | | | 120L050 | 6A | FL120 | 120 | 363,83 | 363,07 | - | 75 | 342 | 19,0 | 42 | 14 | 8,50 |

L 075 - 3/8" (9,525 mm)

| Caratteristiche Features Merkmale Características | Codice Code symbol Bezeichnung Code symbole Numero de fabrica | Cod. | Tipo Type Typ Type Tipo | Codice flangia Flange code Bordscheiben Typ Code flasque Código brida | N. denti N. of teeth Zähnezahl N. bre de dents Cantidad de dientes | Dp | De | Df | Dm | Di | F | L | Foro stock Stock bore Vor bohrung Alesage en stock Agujero de stock | Peso Weight / Gewicht Poids / Peso Kg | | |
|------------------------------------------------------------|------------------------------------------------------------------------------|--------------------------------------------------------|-------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|--------------------------------------------------------------------------------|--------|--------|--------|--------|-----|------|-----|---------------------------------------------------------------------------------|------------------------------------------------|----|-------|
| Acciaio / Steel / Stahl Acier / Acero | con flangia / with flanges mit Bordscheiben / avec flasques / con tapetas | 10L075 | 6F | FL050 | 10 | 30,32 | 29,56 | 37,0 | 20 | - | 25,4 | 38 | 8 | 0,15 | | |
| | | 11L075 | 6F | FL050 | 11 | 33,35 | 32,59 | 37,0 | 22 | - | 25,4 | 38 | 8 | 0,17 | | |
| | | 12L075 | 6F | FL052 | 12 | 36,38 | 35,62 | 43,0 | 24 | - | 25,4 | 38 | 8 | 0,22 | | |
| | | 13L075 | 6F | FL083 | 13 | 39,41 | 38,65 | 44,0 | 28 | - | 25,4 | 38 | 8 | 0,25 | | |
| | | 14L075 | 6F | FL054 | 14 | 42,45 | 41,68 | 48,0 | 28 | - | 25,4 | 38 | 11 | 0,28 | | |
| | | 15L075 | 6F | FL055 | 15 | 45,48 | 44,72 | 51,0 | 34 | - | 25,4 | 38 | 11 | 0,38 | | |
| | | 16L075 | 6F | FL056 | 16 | 48,51 | 47,75 | 54,0 | 36 | - | 25,4 | 38 | 11 | 0,43 | | |
| | | 17L075 | 6F | FL057 | 17 | 51,54 | 50,78 | 57,0 | 36 | - | 25,4 | 38 | 11 | 0,44 | | |
| | | 18L075 | 6F | FL058 | 18 | 54,57 | 53,81 | 60,0 | 40 | - | 25,4 | 38 | 11 | 0,52 | | |
| | | 19L075 | 6F | FL059 | 19 | 57,61 | 56,84 | 64,0 | 40 | - | 25,4 | 38 | 11 | 0,56 | | |
| | | 20L075 | 6F | FL060 | 20 | 60,64 | 59,88 | 66,5 | 40 | - | 25,4 | 38 | 11 | 0,59 | | |
| | | 21L075 | 6F | FL061 | 21 | 63,67 | 62,91 | 70,0 | 45 | - | 25,4 | 38 | 11 | 0,64 | | |
| | | 22L075 | 6F | FL062 | 22 | 66,70 | 65,94 | 75,0 | 45 | - | 25,4 | 38 | 11 | 0,69 | | |
| | | 23L075 | 6F | FL063 | 23 | 69,73 | 68,97 | 79,0 | 55 | - | 25,4 | 38 | 11 | 0,76 | | |
| | | 24L075 | 6F | FL063 | 24 | 72,77 | 72,00 | 79,0 | 55 | - | 25,4 | 38 | 11 | 0,87 | | |
| | | 25L075 | 6F | FL064 | 25 | 75,80 | 75,04 | 83,0 | 58 | - | 25,4 | 38 | 11 | 0,95 | | |
| | | 26L075 | 6F | FL065 | 26 | 78,83 | 78,07 | 87,0 | 58 | - | 25,4 | 38 | 11 | 1,06 | | |
| | | 27L075 | 6F | FL065 | 27 | 81,86 | 81,10 | 87,0 | 58 | - | 25,4 | 38 | 11 | 1,18 | | |
| | | 28L075 | 6F | FL066 | 28 | 84,89 | 84,13 | 91,0 | 58 | - | 25,4 | 38 | 11 | 1,19 | | |
| | | 29L075 | 6F | FL067 | 29 | 87,93 | 87,16 | 94,0 | 58 | - | 25,4 | 38 | 11 | 1,25 | | |
| | | 30L075 | 6F | FL068 | 30 | 90,96 | 90,20 | 97,0 | 70 | - | 25,4 | 38 | 11 | 1,33 | | |
| | | 32L075 | 6F | FL070 | 32 | 97,02 | 96,26 | 102,0 | 70 | - | 25,4 | 38 | 11 | 1,54 | | |
| | | 33L075 | 6F | FL071 | 33 | 100,05 | 99,29 | 106,0 | 70 | - | 25,4 | 38 | 11 | 1,63 | | |
| | | 34L075 | 6F | FL072 | 34 | 103,08 | 102,32 | 112,0 | 70 | - | 25,4 | 38 | 11 | 1,37 | | |
| | | 35L075 | 6F | FL072 | 35 | 106,12 | 105,35 | 112,0 | 70 | - | 25,4 | 38 | 11 | 1,80 | | |
| | | 36L075 | 6F | FL074 | 36 | 109,15 | 108,39 | 128,0 | 70 | - | 25,4 | 38 | 11 | 1,89 | | |
| | | 40L075 | 6WF | FL078 | 40 | 121,28 | 120,51 | 128,0 | 70 | 100 | 25,4 | 38 | 11 | 2,35 | | |
| | | 41L075 | 6WF | FL080 | 41 | 124,31 | 123,55 | 135,0 | 70 | 103 | 25,4 | 38 | 11 | 2,40 | | |
| | | 42L075 | 6WF | FL080 | 42 | 127,34 | 126,58 | 135,0 | 70 | 106 | 25,4 | 38 | 11 | 2,53 | | |
| | | 44L075 | 6WF | FL081 | 44 | 133,40 | 132,64 | 142,0 | 70 | 112 | 25,4 | 38 | 11 | 2,75 | | |
| | | 45L075 | 6WF | FL081 | 45 | 136,44 | 135,67 | 150,0 | 70 | 115 | 25,4 | 38 | 11 | 2,86 | | |
| | | 47L075 | 6WF | FL085 | 47 | 142,50 | 141,74 | 150,0 | 70 | 121 | 25,4 | 38 | 11 | 3,02 | | |
| | | 48L075 | 6WF | FL085 | 48 | 145,53 | 144,77 | 150,0 | 70 | 124 | 25,4 | 38 | 11 | 3,19 | | |
| | | Ghisa / Cast iron / Grauguss Fonte / Hierro fundido | senza flangia / without flanges ohne Bordscheiben / sans flasques sin tapetas | 49L075 | 6W | FL050 | 49 | 148,56 | 147,80 | - | 70 | 127 | 25,4 | 38 | 14 | 2,10 |
| | | | | 50L075 | 6W | FL050 | 50 | 151,60 | 150,83 | - | 70 | 130 | 25,4 | 38 | 14 | 2,20 |
| | | | | 52L075 | 6W | FL052 | 52 | 157,66 | 156,90 | - | 70 | 136 | 25,4 | 38 | 14 | 2,38 |
| | | | | 56L075 | 6W | FL056 | 56 | 169,79 | 169,02 | - | 70 | 149 | 25,4 | 38 | 14 | 2,49 |
| | | | | 57L075 | 6W | FL057 | 57 | 172,82 | 172,06 | - | 70 | 152 | 25,4 | 38 | 14 | 2,73 |
| | | | | 60L075 | 6W | FL058 | 60 | 181,91 | 181,15 | - | 75 | 160 | 25,4 | 45 | 14 | 3,44 |
| | | | | 65L075 | 6A | FL059 | 65 | 197,07 | 196,31 | - | 75 | 176 | 25,4 | 45 | 14 | 3,50 |
| | | | | 66L075 | 6A | FL059 | 66 | 200,11 | 199,34 | - | 75 | 179 | 25,4 | 45 | 14 | 3,60 |
| | | | | 72L075 | 6A | FL072 | 72 | 218,30 | 217,53 | - | 75 | 197 | 25,4 | 45 | 14 | 4,58 |
| | | | | 84L075 | 6A | FL084 | 84 | 254,68 | 253,92 | - | 75 | 233 | 25,4 | 45 | 14 | 5,60 |
| | | | | 90L075 | 6A | FL090 | 90 | 272,87 | 272,11 | - | 75 | 252 | 25,4 | 45 | 14 | 6,50 |
| | | | | 96L075 | 6A | FL096 | 96 | 291,06 | 290,30 | - | 75 | 269 | 25,4 | 45 | 14 | 7,00 |
| | | | | 120L075 | 6A | FL120 | 120 | 363,83 | 363,07 | - | 75 | 342 | 25,4 | 45 | 14 | 10,00 |



L 100 - 3/8" (9,525 mm)

| Caratteristiche Features Merkmale Características Características | Codice Code symbol Bezeichnung Code symbole Numero de fabrica | Cod. | Tipo Type Typ Type Tipo | Codice flangia Flange code Bordscheiben Typ Code flasque Código brida | N. denti N. of teeth Zahnezahl N. bre de dents Cantidad de dientes | Dp | De | Df | Dm | Di | F | L | Foro stock Stock bore Vor bohrung Alesage en stock Agujero de stock | Peso Weight / Gewicht Poids / Peso Kg | | |
|-------------------------------------------------------------------------------|------------------------------------------------------------------------------|--------------------------------------------------------|-------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|--------------------------------------------------------------------------------|--------|--------|--------|--------|-----|------|-----|---------------------------------------------------------------------------------|------------------------------------------------|----|------|
| Acciaio / Steel / Stahl Acier / Acero | con flangia / with flanges mit Bordscheiben / avec flasques / con tapetas | 10L100 | 6F | FL050 | 10 | 30,32 | 29,56 | 37,0 | 20 | - | 31,8 | 45 | 8 | 0,15 | | |
| | | 11L100 | 6F | FL050 | 11 | 33,35 | 32,59 | 37,0 | 22 | - | 31,8 | 45 | 8 | 0,20 | | |
| | | 12L100 | 6F | FL052 | 12 | 36,38 | 35,62 | 43,0 | 24 | - | 31,8 | 45 | 8 | 0,26 | | |
| | | 13L100 | 6F | FL083 | 13 | 39,41 | 38,65 | 44,0 | 28 | - | 31,8 | 45 | 8 | 0,30 | | |
| | | 14L100 | 6F | FL054 | 14 | 42,45 | 41,68 | 48,0 | 28 | - | 31,8 | 45 | 11 | 0,34 | | |
| | | 15L100 | 6F | FL055 | 15 | 45,48 | 44,72 | 51,0 | 34 | - | 31,8 | 45 | 11 | 0,45 | | |
| | | 16L100 | 6F | FL056 | 16 | 48,51 | 47,75 | 54,0 | 36 | - | 31,8 | 45 | 11 | 0,52 | | |
| | | 17L100 | 6F | FL057 | 17 | 51,54 | 50,78 | 57,0 | 36 | - | 31,8 | 45 | 11 | 0,53 | | |
| | | 18L100 | 6F | FL058 | 18 | 54,57 | 53,81 | 60,0 | 40 | - | 31,8 | 45 | 11 | 0,62 | | |
| | | 19L100 | 6F | FL059 | 19 | 57,61 | 56,84 | 64,0 | 40 | - | 31,8 | 45 | 11 | 0,66 | | |
| | | 20L100 | 6F | FL060 | 20 | 60,64 | 59,88 | 66,5 | 40 | - | 31,8 | 45 | 11 | 0,72 | | |
| | | 21L100 | 6F | FL061 | 21 | 63,67 | 62,91 | 70,0 | 45 | - | 31,8 | 45 | 11 | 0,77 | | |
| | | 22L100 | 6F | FL062 | 22 | 66,70 | 65,94 | 75,0 | 45 | - | 31,8 | 45 | 11 | 0,88 | | |
| | | 23L100 | 6F | FL063 | 23 | 69,73 | 68,97 | 79,0 | 55 | - | 31,8 | 45 | 11 | 1,12 | | |
| | | 24L100 | 6F | FL063 | 24 | 72,77 | 72,00 | 79,0 | 55 | - | 31,8 | 45 | 11 | 1,13 | | |
| | | 25L100 | 6F | FL064 | 25 | 75,80 | 75,04 | 82,5 | 58 | - | 31,8 | 45 | 11 | 1,18 | | |
| | | 26L100 | 6F | FL065 | 26 | 78,83 | 78,07 | 86,0 | 58 | - | 31,8 | 45 | 11 | 1,24 | | |
| | | 27L100 | 6F | FL065 | 27 | 81,86 | 81,10 | 86,0 | 58 | - | 31,8 | 45 | 11 | 1,35 | | |
| | | 28L100 | 6F | FL066 | 28 | 84,89 | 84,13 | 91,0 | 58 | - | 31,8 | 45 | 11 | 1,42 | | |
| | | 29L100 | 6F | FL067 | 29 | 87,93 | 87,16 | 94,0 | 58 | - | 31,8 | 45 | 11 | 1,50 | | |
| | | 30L100 | 6F | FL068 | 30 | 90,96 | 90,20 | 97,0 | 70 | - | 31,8 | 45 | 11 | 1,61 | | |
| | | 32L100 | 6F | FL070 | 32 | 97,02 | 96,26 | 102,0 | 70 | - | 31,8 | 45 | 11 | 1,84 | | |
| | | 33L100 | 6F | FL071 | 33 | 100,05 | 99,29 | 106,0 | 70 | - | 31,8 | 45 | 11 | 1,95 | | |
| | | 34L100 | 6F | FL072 | 34 | 103,08 | 102,32 | 112,0 | 70 | - | 31,8 | 45 | 11 | 2,10 | | |
| | | 35L100 | 6F | FL072 | 35 | 106,12 | 105,35 | 112,0 | 70 | - | 31,8 | 45 | 11 | 2,23 | | |
| | | 36L100 | 6F | FL074 | 36 | 109,15 | 108,39 | 115,0 | 70 | - | 31,8 | 45 | 11 | 2,32 | | |
| | | 40L100 | 6WF | FL078 | 40 | 121,28 | 120,51 | 128,0 | 70 | 100 | 31,8 | 45 | 11 | 2,80 | | |
| | | 41L100 | 6WF | FL080 | 41 | 124,31 | 123,55 | 135,0 | 70 | 103 | 31,8 | 45 | 11 | 2,95 | | |
| | | 42L100 | 6WF | FL080 | 42 | 127,34 | 126,58 | 135,0 | 70 | 106 | 31,8 | 45 | 11 | 3,10 | | |
| | | 44L100 | 6WF | FL081 | 44 | 133,40 | 132,62 | 142,0 | 70 | 112 | 31,8 | 45 | 11 | 3,36 | | |
| | | 45L100 | 6WF | FL081 | 45 | 136,44 | 135,67 | 142,0 | 70 | 115 | 31,8 | 45 | 11 | 3,45 | | |
| | | 47L100 | 6WF | FL085 | 47 | 142,50 | 141,74 | 150,0 | 70 | 121 | 31,8 | 45 | 11 | 3,65 | | |
| | | 48L100 | 6WF | FL085 | 48 | 145,53 | 144,77 | 150,0 | 70 | 124 | 31,8 | 45 | 11 | 3,86 | | |
| | | Ghisa / Cast iron / Grauguss Fonte / Hierro fundido | senza flangia / without flanges ohne Bordscheiben / sans flasques sin tapetas | 49L100 | 6W | - | 49 | 148,56 | 147,80 | - | 70 | 127 | 31,8 | 45 | 14 | 2,40 |
| | | | | 50L100 | 6W | - | 50 | 151,60 | 150,83 | - | 70 | 130 | 31,8 | 45 | 14 | 2,50 |
| | | | | 52L100 | 6W | - | 52 | 157,66 | 156,90 | - | 70 | 136 | 31,8 | 45 | 14 | 2,70 |
| | | | | 56L100 | 6W | - | 56 | 169,79 | 169,02 | - | 70 | 149 | 31,8 | 45 | 14 | 2,91 |
| | | | | 57L100 | 6W | - | 57 | 172,82 | 172,06 | - | 70 | 152 | 31,8 | 45 | 14 | 3,10 |
| | | | | 60L100 | 6W | - | 60 | 181,91 | 181,15 | - | 75 | 160 | 31,8 | 50 | 14 | 3,55 |
| | | | | 65L100 | 6A | - | 65 | 197,07 | 196,31 | - | 75 | 176 | 31,8 | 50 | 14 | 4,00 |
| 66L100 | 6A | | | - | 66 | 200,11 | 199,34 | - | 75 | 179 | 31,8 | 50 | 14 | 4,15 | | |
| 72L100 | 6A | | | - | 72 | 218,30 | 217,53 | - | 75 | 197 | 31,8 | 50 | 14 | 5,00 | | |
| 84L100 | 6A | | | - | 84 | 254,68 | 253,92 | - | 75 | 233 | 31,8 | 50 | 14 | 6,30 | | |
| 90L100 | 6A | | | - | 90 | 272,87 | 272,11 | - | 75 | 252 | 31,8 | 50 | 14 | 7,50 | | |
| 96L100 | 6A | | | - | 96 | 291,06 | 290,30 | - | 75 | 269 | 31,8 | 50 | 14 | 8,20 | | |
| 120L100 | 6A | | | - | 120 | 363,83 | 363,07 | - | 75 | 342 | 31,8 | 50 | 14 | 11,50 | | |

H 075 - 1/2" (12,75 mm)

| Caratteristiche Features Merkmale Características Características | Codice Code symbol Bezeichnung Code symbole Numero de fabrica | Cod. | Tipo Type Typ Type Tipo | Codice flangia Flange code Bordscheiben Typ Code flasque Código brida | N. denti N. of teeth Zahnezahl N. bre de dents Cantidad de dientes | Dp | De | Df | Dm | Di | F | L | Foro stock Stock bore Vor bohrung Alesage en stock Agujero de stock | Peso Weight / Gewicht Poids / Peso Kg |
|-------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------|-------------------------------------|-----------------------------------------------------------------------------------|--------------------------------------------------------------------------------|--------|--------|-------|------|-----|------|------|---------------------------------------------------------------------------------|------------------------------------------------|
| Acciaio / Steel / Stahl Acier / Acero | con flangia / with flanges mit Bordscheiben / avec flasques / con tapetas | 14H075 | 6F | FL059 | 14 | 56,60 | 55,22 | 64,0 | 40 | - | 26,4 | 40 | 8 | 0,59 |
| | | 15H075 | 6F | FL060 | 15 | 60,64 | 59,27 | 66,5 | 45 | - | 26,4 | 40 | 8 | 0,65 |
| | | 16H075 | 6F | FL061 | 16 | 64,68 | 63,31 | 70,0 | 45 | - | 26,4 | 40 | 8 | 0,70 |
| | | 17H075 | 6F | FL062 | 17 | 68,72 | 67,35 | 75,0 | 45 | - | 26,4 | 40 | 8 | 0,73 |
| | | 18H075 | 6F | FL063 | 18 | 72,77 | 71,39 | 79,0 | 55 | - | 26,4 | 40 | 11 | 0,91 |
| | | 19H075 | 6F | FL064 | 19 | 76,81 | 75,44 | 82,5 | 60 | - | 26,4 | 40 | 11 | 1,08 |
| | | 20H075 | 6F | FL076 | 20 | 80,85 | 79,48 | 87,0 | 62 | - | 26,4 | 40 | 11 | 1,18 |
| | | 21H075 | 6F | FL066 | 21 | 84,89 | 83,52 | 91,0 | 65 | - | 26,4 | 40 | 11 | 1,30 |
| | | 22H075 | 6F | FL067 | 22 | 88,94 | 87,56 | 94,0 | 68 | - | 26,4 | 40 | 11 | 1,42 |
| | | 23H075 | 6F | FL068 | 23 | 92,98 | 91,61 | 97,0 | 72 | - | 26,4 | 40 | 11 | 1,67 |
| | | 24H075 | 6F | FL070 | 24 | 97,02 | 95,65 | 102,0 | 72 | - | 26,4 | 40 | 11 | 1,71 |
| | | 25H075 | 6F | FL071 | 25 | 101,06 | 99,69 | 106,0 | 72 | - | 26,4 | 40 | 11 | 1,87 |
| | | 26H075 | 6F | FL072 | 26 | 105,11 | 103,73 | 112,0 | 80 | - | 26,4 | 40 | 11 | 2,00 |
| | | 27H075 | 6F | FL074 | 27 | 109,15 | 107,78 | 115,0 | 80 | - | 26,4 | 40 | 11 | 2,10 |
| | | 28H075 | 6F | FL075 | 28 | 113,19 | 111,82 | 120,0 | 80 | - | 26,4 | 40 | 11 | 2,26 |
| | | 29H075 | 6F | FL075 | 29 | 117,23 | 115,86 | 120,0 | 80 | - | 26,4 | 40 | 11 | 2,49 |
| | | 30H075 | 6F | FL078 | 30 | 121,28 | 119,90 | 128,0 | 80 | - | 26,4 | 40 | 11 | 2,70 |
| | | 32H075 | 6F | FL080 | 32 | 129,36 | 127,99 | 135,0 | 80 | - | 26,4 | 40 | 11 | 2,85 |
| | | 33H075 | 6F | FL081 | 33 | 133,40 | 132,03 | 142,0 | 80 | - | 26,4 | 40 | 11 | 3,10 |
| | | 34H075 | 6F | FL081 | 34 | 137,45 | 136,07 | 142,0 | 80 | - | 26,4 | 40 | 11 | 3,30 |
| | | 35H075 | 6F | FL085 | 35 | 141,49 | 140,12 | 150,0 | 80 | - | 26,4 | 40 | 11 | 3,50 |
| | | 36H075 | 6F | FL085 | 36 | 145,53 | 144,16 | 150,0 | 80 | - | 26,4 | 40 | 11 | 3,65 |
| | | 38H075 | 6F | FL086 | 38 | 153,62 | 152,24 | 158,0 | 80 | - | 26,4 | 40 | 11 | 3,90 |
| | | 40H075 | 6F | FL090 | 40 | 161,70 | 160,33 | 168,0 | 80 | - | 26,4 | 40 | 11 | 4,23 |
| 42H075 | 6F | FL094 | 42 | 169,79 | 168,41 | 180,0 | 80 | - | 26,4 | 40 | 11 | 4,80 | | |
| Ghisa / Cast iron / Grauguss Fonte / Hierro fundido | senza flangia / without flanges ohne Bordscheiben sans flasques / sin tapetas | 44H075 | 6WF | FL095 | 44 | 177,87 | 176,50 | 184,0 | 80 | 150 | 26,4 | 40 | 14 | 5,20 |
| | | 45H075 | 6WF | FL096 | 45 | 181,91 | 180,54 | 192,0 | 80 | 154 | 26,4 | 40 | 14 | 5,45 |
| | | 48H075 | 6WF | FL100 | 48 | 194,04 | 192,67 | 200,0 | 90 | 166 | 26,4 | 45 | 14 | 4,30 |
| | | 49H075 | 6W | - | 49 | 198,08 | 196,71 | - | 90 | 170 | 26,4 | 45 | 14 | 4,50 |
| 50H075 | 6W | - | 50 | 202,13 | 200,75 | - | 90 | 174 | 26,4 | 45 | 14 | 4,66 | | |